



# Appendix B. Figure Descriptions



## Appendix B. Figure Descriptions

This appendix includes written descriptions of all figures included in this Technical Report. If needed, additional figure interpretation is available from the ODOT Senior Environmental Project Manager at (503) 731-4804.

Figure Number	Figure Title	Figure Description
1	Project Area	Figure 1 shows the Project Area. The Project Area includes a 1.7-mile segment of Interstate 5 (I-5), beginning north of Interstate 405 (I-405) at milepost 303.2, extending south to the Burnside Bridge just south of Interstate 84 (I-84) at milepost 301.5. The Project Area also includes the interchange of I-5 and N Broadway and NE Weidler Street (Broadway/Weidler interchange) and the surrounding transportation network, from approximately N/NE Hancock Street to the north, N Benton Avenue to the west, N/NE Multnomah Street to the south, and NE 2nd Avenue to the east. Figure 1 also shows the Willamette River to the west of the Project Area and the following four bridges (from north to south): Fremont Bridge, Broadway Bridge, Steel Bridge, and Burnside Bridge. The Project Area includes segments of both I-5 and I-84.
2	Auxiliary Lane/ Shoulder Improvements	Figure 2 shows the locations of the proposed auxiliary lanes and shoulder improvements on I-5. One new northbound (NB) auxiliary lane would be added to connect the I-84 westbound on-ramp to the N Greeley off-ramp. A new southbound (SB) auxiliary lane would extend the existing auxiliary lane that enters I-5 SB from the N Greeley on-ramp. The extent of proposed auxiliary lanes and shoulder improvements begin near where I-5 crosses over N Russell and extends south to I-84. Figure 2 also shows the Project Area.
3	I-5 Auxiliary (Ramp-to- Ramp) Lanes – Existing Conditions and Proposed Improvements	<p>Figure 3 shows the existing and proposed auxiliary lane configurations from the N Greeley on-ramp extending south to the SB Morrison Bridge off-ramp. Existing conditions are shown on the left and proposed improvements are shown on the right. Existing SB conditions include two SB lanes and three on-ramps (listed from north to south): N Greeley, I-405/N Fremont, and N Wheeler and three off-ramps (listed from north to south): N Broadway, I-84, and Morrison Bridge. There are existing auxiliary lanes between the N Greeley on-ramp extending to just south of the N Broadway off-ramp, the I-405/N Fremont on-ramp and N Broadway off-ramp, and N Wheeler on-ramp and I-84 off-ramp. Existing NB conditions include two NB lanes and two on-ramps (listed from south to north): I-84 and N Broadway and two off-ramps (listed from south to north): N Weidler, I-405/N Fremont, and N Greeley. There are existing auxiliary lanes between the I-84 on-ramp and N Weidler off-ramp and between the N Broadway on-ramp and I-405/N Fremont off-ramp.</p> <p>For proposed improvements, the on-ramps and off-ramps are the same as those shown for existing conditions, and all existing auxiliary lanes remain. There is one new SB proposed auxiliary lane that results in a continuous auxiliary lane from the N Greeley on-ramp extending south to the Morrison Bridge off-ramp. There is one NB proposed auxiliary lane that results in a continuous auxiliary lane from the I-84 on-ramp north to the N Greeley off-ramp. Two additional proposed NB auxiliary lane segments also extend the existing auxiliary lane between the I-84 on-ramp and N Weidler off-ramp.</p>

Figure Number	Figure Title	Figure Description
4	I-5 Cross Section (N/NE Weidler Overcrossing) – Existing Conditions and Proposed Improvements	Figure 4 shows a cross section comparison of existing and proposed conditions of I-5 south of the N/NE Weidler overcrossing within the Broadway/Weidler interchange area. Existing conditions are shown on the top and are the same for NB and SB traffic and include an inside and outside shoulder of varying width and two 12-foot lanes. Proposed lane configuration is shown below the existing conditions and is the same for NB and SB traffic and include an inside and outside shoulder, two through lanes, and one auxiliary lane. All shoulders and lanes are 12 feet wide.
5	Broadway/Weidler/Williams and Vancouver/Hancock Highway Covers	Figure 5 shows a rendering of the Broadway/Weidler/Williams and Vancouver/Hancock highway covers. The Broadway/Weidler/Williams cover appears as a green space that spans east-west across I-5, extending from immediately south of N/NE Weidler to immediately north of N/NE Broadway. The entire block between N/NE Weidler, NE Victoria, N/NE Broadway, and N Williams is all shown as a green space covering I-5. The Vancouver/Hancock cover is located farther to the north and appears as a smaller green space extending northwest and southeast from N Vancouver at its intersection with N/NE Hancock. Proposed bike lanes are also shown along N/NE Weidler, N Williams, N Vancouver, N/NE Broadway, and N/NE Hancock.
6	Broadway/Weidler Interchange Area Improvements	Figure 6 shows locations of improvements to the Broadway/Weidler interchange between I-5, the interchange, and the local street network. Improvements are labeled with letters A through H. The Broadway/Weidler/Williams cover spans east-west across I-5, extending from immediately south of N/NE Weidler to immediately north of N/NE Broadway. The Vancouver/Hancock cover is located farther to the north and appears as a smaller green space extending northwest and southeast from N Vancouver at its intersection with N/NE Hancock. Both covers are indicated by the letter “A.” Letter “B” is located near the bottom of the figure and shows how the I-5 SB on-ramp would be relocated by having it begin one block farther north at N/NE Weidler instead of N Ramsay Way, where the existing ramp begins. Letter “C” located near the middle of the figure shows the segment of N Williams between N Ramsay and N Weidler that would be closed to private motor vehicles. Letter “D” located near the middle of the figure shows the location of where traffic flow on N Williams between N/NE Weidler and N/NE Broadway would be converted to a reverse traffic flow two-way street with a 36-foot-wide median. Letter “E” shows the location of the proposed Hancock-Dixon crossing that extends from the intersection of N Dixon and N Wheeler east to N Williams and N/NE Hancock. Letter “G” indicates the location where N Flint would be removed beginning at N Tillamook and extending south to N Broadway. Letter “H” shows the location of the proposed Clackamas bicycle and pedestrian bridge, located south of N/NE Weidler to connect NE Clackamas with N Williams. The Project Area boundary and proposed auxiliary lanes and shoulders are also shown on the figure.
7	Conceptual Illustration of Proposed N Williams Multi-Use Path and Revised Traffic Flow	Figure 7 shows a rendering of the proposed N Williams multi-use path and reverse traffic flow. The foreground in the bottom half of the rendering shows the multi-use path as an extension of the sidewalk to the west (left) of N Williams. The top half of the rendering shows two SB traffic lanes to the east (right) of the multi-use path/median and two NB traffic lanes to the west (left) of the multi-use path/median. The Broadway/Weidler/Williams cover is shown as green space to the east (right) of N Williams SB traffic lanes.
8	Clackamas Bicycle and Pedestrian Crossing	Figure 8 shows a rendering of the Clackamas bicycle and pedestrian crossing. The crossing is shown as a curved elevated path crossing I-5, connecting NE Clackamas on the east side of I-5 to N Williams on the west side of I-5. Green bicycle lanes are also shown on either side of N Williams, located just west of I-5.

Figure Number	Figure Title	Figure Description
9	Census Tracts in the Vicinity of the Area of Potential Impact	<p>Figure 9 shows a map of the Project Area/Area of Potential Impact (API) and the four census tracts that overlap the API. The majority of the API, excluding the north and south ends, overlap Census Tract 23.03. The northern limit of Census Tract 23.03 intersects with the API where I-5 crosses over N Russell Street, and the southern limit of tract 23.03 intersects with the API at NE Lloyd Boulevard just north of I-84. Census Tract 23.03 has a western limit of the Willamette River and an eastern limit at NE 8th Avenue. Tract 23.03 is shaded red to indicate data from that tract are considered representative of the demographic characteristics within the API and were therefore used for the Socioeconomic analysis. The remaining three census tracts that overlap the Project Area/API are shaded beige to indicate that they were not used for the analysis. Census Tract 21 overlaps the southern side of the API around the I-5 interchange with I-84. Census Tract 22.03 overlaps the northern side of the API from N Russell Street to the northern extent of the API. Census Tract 35.02 overlaps a tiny sliver of the northeast corner of the API.</p>
10	Public Services in the Vicinity of the Area of Potential Impact	<p>Figure 10 shows public services in the vicinity of the API and includes police/fire stations, schools, parks, social services, and religious institutions. The only police/fire station shown is Portland Fire Bureau–Station 13, which is located east of the API. The only school shown is Harriet Tubman Middle School, which is just to the east of the API. Two parks are shown: Lillis-Albina City Park is located to the east of the API, and Peace Park is adjacent to the west of the API. Four social services are shown: Madrona Studios, which provides low-income housing, is located within the API, while the Legacy Emanuel Medical Center, the Urban League of Portland, and the African American Health Coalition are located to the east of the API. Four religious institutions are shown: New Direction Community Church, Well Church, Holy Rosary Church, and Temple Baptist Church. The religious institutions are all located to the east of the API.</p> <p>In summary, Madrona Studios is the only public service on the map that falls directly within the API. The three closest public services to the edge of the API are Harriet Tubman Middle School, Peace Park, and Well Church.</p>

